

SELECTRIC

SIMPLY THE BEST IN
SIT / STAND





Did You Know?

The Selectric range had dedicated to workplace ergonomics and has been a major driving force behind the sit/stand desk revolution in Australia. Being the first to bring an AFRDI accredited sit/stand desk to the market with full blue tick accreditation. Danish designed and tested. The Selectric combines superior flexibility and quality in an electronically operated true sit/stand desk. It is the ideal solution for changing your working position throughout the day, thus transforming the way you work.








Did You Know?

The benefits of using a sit/stand workstation is well documented to show benefits with health, well-being and ergonomics. Which all contribute to increased productivity for both the user and the employer. Thus the investment in our Selectric desk will have many ongoing benefits for many years to come.



STANDARD DESK

- Potential Neck Stiffness
- Lower Back Pain
- Calorie Burning Drops
- Legs Muscles Weaken



SIT / STAND DESK

- Increased Productivity
- Improved Circulation
- Improves Core Muscles
- More Long-Term Benefits

SELECTRIC
RANGE



HEIGHT ADJUSTABLE SELECTRIC SIT/STAND

All the Selectric Models will have a 10 year Manufacturer's warranty as standard on mechanical and electric componentry from the 1/07/2016 as part of the new arrangements with the complete range.

Our Selectric range of sit/stand desks and workstations has grown dramatically in keeping with the response we have had from an individual level. We now have options for desks, both singular and linear, corner workstations with 90 and 120 degree options both singular and pods, and specialty desks as well. We also have more options with accessories and controls to add even more flexibility to our expanded range.

The Selectric utilises European design and technology and is constructed with a sturdy steel frame, being powered by motor drives. Maximum height is achieved via telescopic legs. The electric operation allows the user to easily adjust the worktop height to their individual preference. The standard master controller also allows the user to set the minimum and maximum heights, making it perfect for the home or corporate office alike.





SELECTRIC Mini - T101

.....

The T101 is an exciting new Single column frame option for a small top in a small rectangular, corner 90 degree, and 120 degree top (see below). It has stabilising feet and a single column with an actuator/ 2 stage leg and standard single control unit. It is the perfect application for home, office, student quarters, lecture halls and a myriad of other potential placements. It has a maximum weight of 70 KG evenly loaded and a height range of 680-1160mm high including a 25 mm top.



SELECTRIC - 101

.....

The Selectric Solo 101 is our new entry level sit stand desk for the Australian Market and features a strong adjustable frame with a single Motor drive with a shaft and gearbox connection from leg to leg. The frame is adjustable in width from 1100-1800 wide with a frame height range of 655-1155 and a weight rating of 70 KG evenly loaded. It features a heavy duty shaft drive and gearbox mechanism designed around reliability and quietness in operation. The mechanism and gearbox has undergone considerable testing and refinement from the original concept to surpass the normal specs for a single motor version. Thus it is a pleasure to use and very quiet and smooth going up and down. The 750mm deep feet give the selectric a stability superior to its competitors.



SELECTRIC - 201

.....

The first and still our flagship model for sit/ stand desks in Australia. It was the first Sit stand desk in Australia to have the AFRDI blue tick certificate (2011) and from this time on has created a proven track record from the mines in the outback to Collins Street skyscraper. It has become the preferred option for the government and corporate users alike who demand the best in quality, reliability and flexibility. The Solo 201 features twin motor drives and achieves its height range via three stage telescopic legs. The frame has adjustable beams to giving a frame width of 1100-1800mm to suit desk top sizes from 1200-2400mm wide by 750-900mm deep with AFRDI accreditation. The 750mm deep feet give the selectric a stability superior to its competi-



SELECTRIC - 301

.....

Corner 301 is the Corner workstation version of the popular Solo 201. It comes as standard with 3 Motor drive/ actuators for each workstation with two Cantilever legs and one post in the corner. It is connected by adjustable beams on both sides and it has a weight rating of 150KG evenly loaded. The Corner 301 has a width range of 1550-2100mm on both sides and a depth range of 600-900mm making it an extremely flexible option for your workstation of choice. The height range is 650-1300mm high making it a true sit/ stand workstation. It can also be used to replace an existing frame or base on your workstation to support the existing top and convert it to sit/ stand. Likewise the frame can be reused with a new top at a later date.



SELECTRIC - 120/301

The 120/ 301 workstation frame has a width range of 1550-2100mm on both sides and a depth range of 600-900mm making it an extremely flexible option for your 120 degree workstation choice. It is one of the strongest and most heavy duty frames of its type with a 150KG weight rating and will set the standard for others to follow in true sit/ stand 120 degree workstations. Likewise it can also be used to replace an existing frame or base on your 120 degree workstation and convert it to sit/ stand.



SELECTRIC BENCH - B204

The B204 is another new specialty frame for and is a 4 leg bench/table sit/ stand frame to suit the specific size of an 1800 x 800 rectangular top. It comes with 2 electric motors and 4 x 2 stage legs to give a height range of 685-1185mm high including a 25mm top. It is designed to be used as a multi-media table or bench for meeting rooms, laboratories, break out areas and general office spaces. Being a 4 leg frame it is extremely stable and has a weight rating of 100KG evenly loaded. This is the kind of crossover sit /stand frame that can create new ways to work and relax more effectively in your office/ warehouse/ laboratory.



SELECTRIC DUO - 402

This is the on trend look for the current corporate environment with the benefits of full sit/stand functionality at the touch of a button. No more winding of handles or setting heights with a tool kit, you simply push the button and seconds later you are at your ideal position for either sitting or standing. This is the new egalitarian solution for office ergonomics at a system level. Everyone has the same opportunity to enjoy and be comfortable in their own space. Pods of multiples of (2) can be created by linking frames and screens to make design and procurement simple and predictable with the level of style the modern office requires.



SELECTRIC TRIPLE - 903

It comprises pod of 3 sit/ stand 120 degree workstations as shown with 3 interlocking frames joined as one pod. Thus as the model number suggests there are 9 Motors/ actuators for 3 positions joined as one pod. Multiple pods of Triple 903's can be joined together to make pods of (6), (9), etc. with a consistent look throughout an office space. The nominal top size for the 903 is from 1200 x 1200 x 600d to 1350 x 1350 x 700d in a variety of colours. Height range for each of the 3 positions is 605-1265h including a 25mm top. Each position is independent in height adjustment to the others with its own electrical power supply and control units. Each pod of (3) shares common rails connecting the legs with an allowance for additional mounting brackets to fix either ducted or non-ducted screens in between the workstation



SELECTRIC MINI - T101

CODE: IMSEMIT101

Frame Colour Options:



SPECIFICATIONS



Height Range + 25mm Top
680mm to 1160mm



Operation:
Electric, 220V / 110V



Leg Quantity:
1 Leg



Motor:
1 Motor System



Leg Stage:
3 Stage



Leg Size:
700mm Depth




Speed:
36mm per second



Load Capacity:
70kg

SUIT TABLE TOP:



TOP PROFILE OPTIONS:


Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:






Selectric Executive



SUIT TABLE TOP:



TOP PROFILE OPTIONS:




Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:



SELECTRIC 101


CODE: IMSES0101

Frame Colour Options:

Smooth
White

Smooth
Black

SPECIFICATIONS




Height Range + 25mm Top
680mm to 1180mm




Operation:
Electric, 220V / 110V




Leg Quantity:
2 Leg



Motor:
1 Motor System



Leg Stage:
2 Stage



Leg Size:
750mm Depth




Speed:
36mm per second



Load Capacity:
70kg



SUIT TABLE TOP:



TOP PROFILE OPTIONS:


Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:



VIDEO:



SELECTRIC 201

CODE: IMSES0201

Frame Colour Options:

Smooth
White

Smooth
Black

SPECIFICATIONS



Height Range + 25mm Top
650mm to 1300mm



Operation:
Electric, 220V / 110V



Leg Quantity:
2 Leg



Motor:
2 Motor System



Leg Stage:
3 Stage



Leg Size:
750mm Depth



Speed:
30mm per second



Load Capacity:
120kg




SELECTRIC 301

CODE: IMSECO301

Frame Colour Options:



SPECIFICATIONS




Height Range + 25mm Top
650mm to 1300mm




Operation:
Electric, 220V / 110V




Leg Quantity:
3 Leg



Motor:
3 Motor System



Leg Stage:
3 Stage



Leg Size:
600mm Depth





Speed:
36mm per second



Load Capacity:
150kg

SUIT TABLE TOP:



TOP PROFILE OPTIONS:


Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:





SELECTRIC 120/301

CODE: IMSE120301

Frame Colour Options:



SPECIFICATIONS



Height Range + 25mm Top
650mm to 1300mm



Operation:
Electric, 220V / 110V



Leg Quantity:
3 Leg



Motor:
3 Motor System



Leg Stage:
3 Stage



Leg Size:
600mm Depth




Speed:
36mm per second



Load Capacity:
150kg

SUIT TABLE TOP:



TOP PROFILE OPTIONS:


Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:





SELECTRIC BENCH B204

CODE: IMSEBEB204

Frame Colour Options:

Smooth
White

Smooth
Black

SPECIFICATIONS



Height Range + 25mm Top
685mm to 1185mm



Operation:
Electric, 220V / 110V



Leg Quantity:
4 Leg



Motor:
2 Motor System



Leg Stage:
2 Stage



Leg Size:
70 x 50mm Tube




Speed:
36mm per second



Load Capacity:
100kg

SUIT TABLE TOP:



TOP PROFILE OPTIONS:


Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:






SELECTRIC DUO 402

CODE: IMSEDU402

Frame Colour Options:



SPECIFICATIONS




Height Range + 25mm Top
605mm to 1265mm



Operation:
Electric, 220V / 110V




Leg Quantity:
4 Leg



Motor:
4 Motor System



Leg Stage:
3 Stage



Leg Size:
70 x 70mm Tube




Speed:
36mm per second



Load Capacity:
100kg

SUIT TABLE TOP:



TOP PROFILE OPTIONS:

Straight Edge

Shark Nose Edge

MASTER CONTROLLER:




CONFIGURATION:



402 DUO CABLE TRAY:

Code: IMSEDUCT402WT
Dimension: 1600Wx220Dx85H
Colour: White / Black



- For Duo 402 Use 1 x IMSEDUCT402WT
- Keeps Cables Neat and Tidy, mounts to the Leg Linking Rail



SELECTRIC TRIPLE 903


CODE: IMSETR903

Frame Colour Options:

Smooth
White

Smooth
Black

SPECIFICATIONS




Height Range + 25mm Top
605mm to 1265mm



Operation:
Electric, 220V / 110V




Leg Quantity:
3 Leg




Motor:
9 Motor System



Leg Stage:
3 Stage



Leg Size:
70 x 70mm Tube




Speed:
36mm per second



Load Capacity:
120kg

SUIT TABLE TOP:



TOP PROFILE OPTIONS:


Straight Edge

Shark Nose Edge

MASTER CONTROLLER:



CONFIGURATION:



903 DUO CABLE TRAY:


Code: IMSEDUCT903WT

Dimension: 900Wx220Dx85H

Colour: White / Black

(WT)

(BL)



- For Triple 903 Use 3 x IMSEDUCT903WT
- Keeps Cables Neat and Tidy, mounts to the Leg Linking Rail

SELECTRIC THE COMPLETE SOLUTION



SCREEN SYSTEM

A : Sonic Acoustic Panel (Image Shown)

B : 30MM Screen System


C : 50MM Screen System




System Type: Acoustic Panel
Dimension: 1180W x 15D x 700H

Screen Colour: Charcoal

Desk hanging support clamps to suit top.
Panels are light, extremely simple and non-invasive solution. Indispensable need for every workspace.



System Type: Solid panel non-ducted system
Screen Framework: Powercoat White/Black
Dimension: Available in various sizes
Standard Fabric: Charcoal Fabric
Custom Fabric: Available on Request




System Type: Solid Panel Ducted System
Screen Framework: Powercoat White/Black
Dimension: Available in various sizes
Standard Fabric: Charcoal Fabric
Custom Fabric: Available on Request

MASTER CONTROLLER

Code: IMSEFTBRC

Dimension: 148W x 52D x 32H

Colour: Black **BL**



- 3 Position Pre-Setting Function with Digital Display
- Diagnostic and Resetting Function
- Mounts to the Underside of the Table Top

CABLE & POWER SOLUTION

Foldable Cable Tray (Image Shown)


Code: IMSRFOCT

Dimension: 1300/1500W x 160D x 98H

Colour: White / Black

WT **BL**

- Keeps Cables Neat and Tidy
- Fitted with Plastic Hanging Bracket & End Cover



2 Tier Cable Wire Basket


Code: DCT

Dimension: 600/750W x 70D x 160H


Colour: White / Black

WT **BL**

- Keeps Cables Neat and Tidy, Segregated data and power in basket
- comes as either 600 or 750mm lengths



*Image Shown (Selectric -201)






C.ME MONITOR ARM

Code: CMEMA


Colour: White / Polished Aluminium / Black

Dimension: **445D x 430H** Weight Capacity: **8kg per arm**



- Discreet Cable Management
- Tension Adjustment for Screen Weight
- Easy Tilt, Pan & Height Adjustment

- Push Button Height Adjustment
- Bolt Through Option
- Trough Desk Cable Management



CPU HOLDER


C1 Fixed CPU Holder

Code: IMC1CPU

Dimension: **220-275W x 23D x 440-600H**

Colour: White (WT)

- Inner Distance 128-248mm Width Adjustable
- Inner Distance 392-552mm Height Adjustable
- Save Floor or Desktop Space and Easy to Install




Rack CPU Holder

Code: RACPU

Dimension: **220-240W x 300D x 440-500H**

Colour: White (BL)

- Rotates 360° allowing user complete access
- Simple sliding system, accommodates most CPU
- Weight capacity of 10kg



UMBILICAL

S4 Umbilical

Code: IMS4LKUBC

Dimension: **42W x 30D x 1300H**

Colour: White (WT)

- 4 Section Segregated Underdesk Umbilical
- Top Adaptor Mounts to Work Surface
- Removable Base Plate for Floor Fixing if Required



S2 Umbilical

Code: IMSECAUM

Dimension: **45W x 30D x 1300H**

Colour: Black (BL)

- 2 Section Segregated Underdesk Umbilical
- Top Adaptor Mounts to Work Surface
- Removable Base Plate for Floor Fixing if Required



SELECTRIC
SIMPLY THE BEST IN
SIT / STAND

